

## Description

DDH, recessed ceiling light, module 1200x300mm, LED 1x40W, UGR<19, 4000K, CRI>80, 220-240V, prismatic diffuser, incl. external power supply unit, IP20, white frame

## General data

|                                       |           |
|---------------------------------------|-----------|
| <b>Colour housing:</b>                | White     |
| <b>Degree of protection (IP):</b>     | IP20      |
| <b>Material housing:</b>              | Aluminium |
| <b>Protection class:</b>              | II        |
| <b>Suitable for ceiling mounting:</b> | Yes       |

## Photometric data

|  |                  |
|--|------------------|
| <b>Beam angle:</b>                                     | Wide beam 41-80° |
| <b>Colour of light:</b>                                | White            |
| <b>Colour rendering index CRI:</b>                     | 80-89            |
| <b>Colour temperature:</b>                             | 4000K            |
| <b>Light outlet:</b>                                   | Direct           |
| <b>Light sharing:</b>                                  | Symmetric        |
| <b>Luminaire efficacy:</b>                             | 102lm/W          |
| <b>Max. system power:</b>                              | 40W              |
| <b>Rated luminous flux according to IEC 62722-2-1:</b> | 4096lm           |
| <b>Suitable for number of lamps:</b>                   | 2                |
| <b>Suitable for workplace according to EN 12464-1:</b> | Yes              |
| <b>Unified Glare Ratio (UGR):</b>                      | 18.65            |

## Electrical data

|                                   |             |
|-----------------------------------|-------------|
| <b>Exchangeable control gear:</b> | Yes         |
| <b>No dim function:</b>           | Yes         |
| <b>Nominal voltage:</b>           | 220V - 240V |





## Address/Contact



**Voltage type:** AC

**Product dimensions**

**Height/depth:** 9mm  
**Length:** 1200mm  
**Width:** 300mm



**Adress/Contact**